


rigas | ONE

Calibration Gases



- Compact(1L size)
- High pressure
- Non-reactive gas
- Reactive gas
- PAMS
- TO-14A

Company Information

A Company specialized in Production, Analysis and Research of Standard Materials

RIGAS Co., Ltd manufactures all standard gases in gravimetric method using high precision and high capacity scale. We guarantee the accuracy for the concentration of every component by quantifying and verifying with various gas analyzers.

A company manufacturing variety of Standard Materials

RIGAS Co., Ltd provides standard gases in various specifications that customers need.

Approvals

- Appointed as a government-authorized standard gas testing and certification agency by Korea National Institute of Environmental Research
- KS Q ISO 9001 certification
- KS A ISO 17034



rigas | ONE

rigas | ONE developed by RIGAS Co., Ltd is a compact high pressure standard gas.

It is made to be easy to use anywhere at anytime. RIGAS provides customers with the various components and concentrations needed for the calibration and so on.

Special features

- The quality and safety of cylinders and valves are guaranteed as certified products of DOT and KGS(Korea Gas Safety Corporation).
- All products are provided to customers with certificate of analysis.
- All products are traceable through international standard institution.
- We will supply customers with the pressure you want and it can be refilled up to 10 MPa.

Traceability

Our analytical operations are traceable through a calibration standard produced to either a recognized international standard such as KRISS, NIST, VSL, NPL, or a gravimetrically manufactured reference standard traceable to KRISS 1. WT CLASS standard masses.



rigas | ONE

RIGAS CO. LTD.'s small 1L standard gas tanks are refillable high-pressure cylinders available in two models, R1 and R2. Each standard cylinder offers high stability, confirmed according to composition and concentration standards. The detailed characteristics of R1 and R2 cylinders are as follows:

R1 The cylinders offer improved compatibility and convenience with regular small valves and are suitable for non-reactive components and exhaust gas of automobile.

Components of R1			
Non-reactive component, O2, CO, CO2, N2, exhaust gas of automobile, etc.			
Cylinder			
Size	1.0 L (D 8.1cm, H 33cm) * Size including the valve	Weight	0.98 kg * Weight including the valve
Material	Aluminum	Pressure	7.0 MPa or less
Valve			
Body	Ni plated Brass	Connection	5/8-18 UNF thread



R2 With enhanced stability for product concentration and special chemical treatment, they are suitable for reactive or adsorptive components.

Components of R2			
Reactive component, PAMS, TO-14A, All components serving in R1			
Cylinder			
Size	1.1 L (D 8.1cm, H 38cm) * Size including the valve	Weight	1.4 kg * Weight including the valve
Material	Aluminum	Pressure	10 MPa or less
Valve			
Body	SUS	Connection	CGA-180



Product Information

Standard gas available

- Atmospheric Environmental Calibration Standards
- Petrochemical and Natural Gas Standards
- Odor Standards
- Toxic Gas Mixtures
- PAMS (Ozone Precursor)
- Automobile Exhaust Gas Standards
- Laser Gas Mixtures
- Volatile Organic Compound Standards (VOCs)
- Other Gas Mixtures
- TO-14A (Toxic Organics)

Pure gas - Provides R1, R2

Components	Concentration (cmol/mol)
N ₂	99.999 / 99.999 9
Air	Air / zero-Air / UHP-Air

Non-reactive gas - Provides R1, R2

Components	Concentration (cmol/mol)	Balance	Urel.*
H ₂	2.00	Air	2
O ₂	2.00 ~ 20.9	N ₂	2
iso-C ₄ H ₈	0.01	Air	2
CO ₂	0.03 ~ 20	N ₂ / Air	2

※ If you have any inquiry on products and mixing besides the above components and concentration, ask for consultation and we will provide further information.

E-mail : master@rigas.co.kr (Domestic-Korea), sales@rigas.co.kr (Overseas)

※ Urel : relative expanded uncertainty

* Each standard cylinder offers high stability, confirmed according to composition and concentration standards.

Product Information

Reactive gas (single component) - Provides R2

Components	Concentration (cmol/mol)	Balance	Urel.*
NO	0.001	N ₂	3
SO ₂	0.001	N ₂	3
CO	0.001	N ₂	3
H ₂ S	0.002 ~ 0.005	N ₂ / Air	< 3
NH ₃	0.002 ~ 0.010	N ₂	< 3
HCl	0.001	N ₂	3
HCN	0.001	N ₂	5
Cl ₂	0.0005 ~ 0.001	N ₂	5
C ₂ H ₅ OH	0.1 ~ 0.2	Air	2
PH ₃	0.00006	N ₂	10
NO ₂	0.005	N ₂	2
SiH ₄	0.001	N ₂	5
C ₂ H ₄ O	0.030	N ₂	3

※ If you have any inquiry on products and mixing besides the above components and concentration, ask for consultation and we will provide further information.

E-mail : master@rigas.co.kr (Domestic-Korea), sales@rigas.co.kr (Overseas)

※ Urel : relative expanded uncertainty

* Each standard cylinder offers high stability, confirmed according to composition and concentration standards.

Product Information

Reactive gas (multi components) - Provides R2

Components	Concentration (cmol/mol)	Balance	Urel.*
H ₂ S	0.001~0.005	N ₂	< 5
CO	0.005~0.05		2
CH ₄	1.5~2.5		2
O ₂	15~19		2
CH ₃ SH	0.001	N ₂	5
H ₂ S	0.001		5
DMS	0.001	N ₂	5
DMDS	0.001		5

Automobile Exhaust Gas - Provides R1, R2

Components	Concentration (cmol/mol)	Balance	Urel.*
CH ₄	2.5	N ₂ / Air	2
iso-C ₄ H ₁₀	0.9	N ₂ / Air	2
CO ₂	14	N ₂	2
C ₃ H ₈	0.2		
CO	1		
O ₂	1		

※ If you have any inquiry on products and mixing besides the above components and concentration, ask for consultation and we will provide further information.

E-mail : master@rigas.co.kr (Domestic-Korea), sales@rigas.co.kr (Overseas)

※ Urel : relative expanded uncertainty

* Each standard cylinder offers high stability, confirmed according to composition and concentration standards.

PAMS, TO-14A

PAMS 57 Components mix (Ozone Precursor) - Provides R2

VOCs measured by the Photochemical Assessment and Measurement Station (PAMS) as precursors contributing to ozone generation

TO-14A 43 Components mix (Toxic Organics) - Provides R2

VOCs according to the US Environmental Protection Agency (EPA) standards as hazardous air pollutants in the atmosphere

Special features


- Highly convenient and portable small 1L container (R2)
- Highly reliable values proven through short-term/long-term stability assessment
- KS IISO 6142: Manufactured in accordance with 2015 standards (Gas analysis-Production of calibration gas mixture-Gravimetric method)
- Cylinders with special internal treatment
- Validity period of 12 months
- Precise measurement of components with low-vapor pressure and additional cylinder heating/regulator heating devices

Product information

	Concentration	Balance	Specification
PAMS	5 nmol/mol	N ₂	Blend tolerance: ± 30 % ; Analytical accuracy: ± 20 %
	1 µmol/mol	N ₂	Blend tolerance: ± 10 % ; Analytical accuracy: ± 5 %
TO-14A	10 nmol/mol	N ₂	Blend tolerance: ± 20 % ; Analytical accuracy: ± 10 %
	1 µmol/mol	N ₂	Blend tolerance: ± 10 % ; Analytical accuracy: ± 5 %

Analytical Tips

- Some of the components with the low-vapor pressure in PAMS and TO-14A are gradually condensed in cylinders depending on time elapsed, storage temperature, and usage environment after manufacturing. As a result of it, lower concentration may be detected. Cylinder heating systems provided by RIGAS will help you to use those components at the correct concentration.
- Components with low-vapor pressure or strong adsorption may be adsorbed during the analysis process. It will cause difficulty to detect accurate concentration. With regulator heating systems provided by RIGAS, the concentration stabilization time of the components can be shorten and ensure accurate figures.
- Comparison of the peak size of n-Dodecane 1 μmol/mol in PAMS by time (3 months after manufacturing)



[Cylinder Heating Device]

	Cylinder Heating Device	Regulator Heating Device	Result
—	Y	Y	Normal level
—	Y	N	90 % of normal level
—	N	Y	50 % less than normal
—	N	N	50 % less than normal




[Regulator Heating Device]

RIGAS supplies cylinder heating and regulator heating devices for precise component concentration analysis.

rigas | ONE

PAMS 57 Components mix (Ozone Precursor)


Chromatogram & components



1 Ethylene	20 2-Methylpentane	39 Ethylbenzene
2 Acetylene	21 3-Methylpentane	40 m-Xylene
3 Ethane	22 1-Hexene	41 p-Xylene
4 Propylene	23 n-Hexane	42 Styrene
5 Propane	24 Methylcyclopentane	43 o-Xylene
6 Isobutane	25 2,4-Dimethylpentane	44 n-Nonane
7 1-Butene	26 Benzene	45 Isopropylbenzene
8 n-Butane	27 Cyclohexane	46 n-Propylbenzene
9 trans-2-Butene	28 2-Methylhexane	47 m-Ethyltoluene
10 cis-2-Butene	29 2,3-Dimethylpentane	48 p-Ethyltoluene
11 Isopentane	30 3-Methylhexane	49 1,3,5-Trimethylbenzene
12 1-Pentene	31 2,2,4-Trimethylpentane	50 o-Ethyltoluene
13 n-Pentane	32 n-Heptane	51 1,2,4-Trimethylbenzene
14 Isoprene	33 Methylcyclohexane	52 n-Decane
15 trans-2-Pentene	34 2,3,4-Trimethylpentane	53 1,2,3-Trimethylbenzene
16 cis-2-Pentene	35 Toluene	54 m-Diethylbenzene
17 2,2-Dimethylbutane	36 2-Methylheptane	55 p-Diethylbenzene
18 Cyclopentane	37 3-Methylheptane	56 n-Undecane
19 2,3-Dimethylbutane	38 n-Octane	57 n-Dodecane

TO-14A 43 Components mix (Toxic Organics)

Chromatogram & components



1 Dichlorodifluoromethane	20 Carbon Tetrachloride	39 1,3-Dichlorobenzene
2 Chloromethane	21 1,2-Dichloropropane	40 1,4-Dichlorobenzene
3 Freon-114	22 Trichloroethylene	41 1,2-Dichlorobenzene
4 Vinyl Chloride	23 cis-1,3-Dichloropropene	42 1,2,4-Trichlorobenzene
5 1,3-Butadiene	24 trans-1,3-Dichloropropene	43 Hexachloro-1,3-Butadiene
6 Bromomethane	25 1,1,2-Trichloroethane	
7 Chloroethane	26 Toluene	
8 Freon-11	27 1,2-Dibromoethane	
9 Acrylonitrile	28 Tetrachloroethylene	
10 1,1-Dichloroethene	29 Chlorobenzene	
11 Methylene Chloride	30 Ethylbenzene	
12 3-Chloropropene	31 p-Xylene	
13 Freon-113	32 m-Xylene	
14 1,1-Dichloroethane	33 Styrene	
15 cis-1,2-Dichloroethylene	34 o-Xylene	
16 Chloroform	35 1,1,2,2-Tetrachloroethane	
17 1,2-Dichloroethane	36 4-Ethyltoluene	
18 1,1,1-Trichloroethane	37 1,3,5-Trimethylbenzene	
19 Benzene	38 1,2,4-Trimethylbenzene	



(주)리가스 www.rigas.co.kr

E-mail. master@rigas.co.kr Tel. 042-934-6900(0) Fax. 042-935-8814

Address. 대전광역시 대덕구 대덕대로1284번길 17(신일동) 우편번호 34323

RIGAS Co., Ltd. www.rigas.co.kr/eng

E-mail. sales@rigas.co.kr Tel. +82-70-5031-6909 Fax. +82-42-935-8814

Address. 17, Daedeokdae-ro 1284beon-gil, Daedeok-gu, Daejeon, Korea(South), 34323

韩气科研 www.rigas.co.kr/ch/

E-mail. sales@rigas.co.kr Tel. +82-70-5031-6909 Fax. +82-42-935-8814

Address. 大韩民国 大田广城市 大德区 大德大路 1284番街 17 (新一洞) 邮编 34323

